

LZD 3050/H93/AMP

SET OF MULTIFUNCTION LAMP MAVIC WITH RETROREFLECTIVE TRIANGLE, ELECTRICAL CONDUIT AND MARKER LIGHT LZD 3050/H93/AMP

TECHNICAL DATA

Light category	LED light	LED quantity
multifunction rear	yes	103
Rear position light	Side marker light	Rear direction indicator
yes	yes	yes
Brake light	Fog light	Reversing light
yes	yes	yes
Reflecting device	Side	Supply voltage
yes	right	12/24 V
Cable	Operating temperature range	Ingress protection rating
6x0,5 mm ² ; length 0,3 m, AMP 7 PIN, round	from -30°C to +50°C	IP 68

DESCRIPTION

The latest generation of impressive and modern multifunction lamps **MAVIC** has been extended with models **with side marker light**, **electrical conduit** and **AMP 7 PIN socket**. Thanks to the double Superseal socket in the body of the multifunction lamp, it is possible to easily connect an integrated side position lamp and license plate lighting in the vehicle or a power supply harness for marker lamps. Set of lamps **LZD 3049/H93/AMP** (left) and **LZD 3050/H93/AMP** (right) **with retroreflective triangle** are designed for trailers, semi-trailers and agricultural vehicles. Lamps of HOR 108 and HOR 93 groups have European approvals and electromagnetic compatibility certificate (EMC). Lights are fully hermetic (ingress protection rating IP 68), and the operating temperature range is from -30 degrees C to +50 degrees C. A special protective lens coating has been provided for MAVIC to ensure resistance to scratches and mechanical damage. The advantage of these lamps is also their universal operating voltage of **12 V** and **24 V**. Our offer includes also **MAVIC lights with reflective device and marker lamp** LZD 3051/H93/AMP (left), LZD 3052/H93/AMP (right). **MAVIC by HORPOL. Discover new lighting solutions! Lamp functions and power consumption at 12/24 V operating voltage:** - NEON rear position light (2/4 W); - NEON brake light (10/10 W); - NEON direction indicator (4/13 W); - reversing light (2/4,5 W); - fog light (4/4 W); - retroreflective triangle (MAVIC); - side marker light with reflective device (0,9/1,9 W).

